


CORD STRAPPING & ACCESSORIES

CORD STRAPPING




- Less expensive vs. steel strapping
- Safer to use, handle, and dispose
- Up to 4X lighter, easier to carry
- Clean, will not stain or rust
- Elastic memory keeps loads tight
- Non-abrasive, non-marring
- Requires one tool to tension
- Can be hand tied in some cases
- Edge guards may not be needed
- AAR approved sizes available

3 TYPES OF CORD STRAPPING


BONDED CORD STRAPPING (non-woven)

Bonded cord strapping is used as a safe, inexpensive product for bundling and securing a wide variety of items across a multitude of industries. From agriculture, landscaping, automotive, printing, light building products, to baling corrugated and plastic for recycling, bonded cord strapping is your best solution.



WOVEN CORD STRAPPING

Woven cord strapping provides additional bi-directional strength and split resistance often required in harsher environments. General purpose woven cord strapping is cost effective and ideal for securing and bundling light to medium/heavy loads for most industries. Heavy duty and extra heavy duty cord strapping are super tough-high tensile products designed for application to replace more expensive steel strapping. These products are used primarily for securing heavy and extra heavy loads in the bundling, metal and plastics industries as well as for rail car load securement.



COMPOSITE CORD STRAPPING

Composite cord strapping is made from polyester fibers coated with clear polypropylene. The clear polypropylene coating provides added water resistance protection and improved handling properties when threading the strapping under pallets and through metal buckles.



BUCKLES FOR CORD STRAPPING



Phosphate finished buckles are for bonded and all woven cord to achieve proper joint strength.



How to Thread Cord Strapping onto Metal Buckles.



Galvanized finished buckles are for Composite cord to achieve proper joint strength.

CORD STRAPPING & ACCESSORIES

PRODUCT CODE DESCRIPTION	Polyester Cord = PC	PC	40	60	W	R
	Rayon Cord = RC					
	Composite Cord = CC					

Item Code Break Strength W - Woven / N/A - Bonded Color



BONDED

RAYON

(UNILINE)

BONDED CORD STRAPPING - REGULAR/HEAVY DUTY

PRODUCT CODE	DESCRIPTION						COILS PER PALLET	COILS PER BOX	WEIGHT PER PALLET
	RC PACKAGING CODE	WOVEN	STD. COLOR	WIDTH	BREAK	FOOTAGE			
POLYESTER CORD									
PC2030	20P	N/A	W	1/4"	350	7800	48	4	890
PC3045	30P	N/A	W	3/8"	500	5250	48	4	890
PC4060	40P	N/A	W	1/2"	650	3900	48	4	820
PC5075	50P	N/A	W	5/8"	800	3000	48	4	770
PC5012	50HD	N/A	W	5/8"	1175	2000	48	4	770
PC6090	60P	N/A	W	3/4"	900	2100	48	4	630
PC6015	60HD	N/A	W	3/4"	1475	1500	48	4	750
RAYON CORD									
RC30	30YR	N/A	W	3/8"	350	5250	48	4	890
RC40	40YR	N/A	W	1/2"	465	3900	48	4	890
RC50	50YR	N/A	W	5/8"	585	3000	48	4	830
RC60	60YR	N/A	W	3/4"	700	2100	48	4	630



WOVEN

WOVEN CORD STRAPPING - REGULAR DUTY



PRODUCT CODE	DESCRIPTION						COILS PER PALLET	COILS PER BOX	WEIGHT PER PALLET
	RC PACKAGING CODE	WOVEN	STD. COLOR	WIDTH	BREAK	FOOTAGE			
POLYESTER CORD									
PC2030W	20CW	W	W	1/4"	350	7800	48	4	760
PC3045W	30CW	W	W	3/8"	500	5250	48	4	920
PC4060W	40CW	W	W	1/2"	650	3900	48	4	850
PC5075W	50CW	W	W	5/8"	800	3000	48	4	880
PC6090W	60CW	W	W	3/4"	900	2100	48	4	770

CORD PRINTING AND COLORS

- BASIC PRINTING AVAILABLE - NO LOGOS
- STOCK COLORS - YELLOW, BLUE, GREEN, AND RED (WHITE STANDARD - TAN STD. FOR RAYON)
- SHIPS FROM MILFORD, MI

CORD STRAPPING & ACCESSORIES

PRODUCT CODE	PC	105	W	X	O
DESCRIPTION	Polyester Cord	Item Code	Woven	Extra Heavy Duty	Color




HEAVY DUTY EXTRA HEAVY

WOVEN CORD STRAPPING - HEAVY/EXTRA HEAVY DUTY

PRODUCT CODE	DESCRIPTION						COILS PER PALLET	COILS PER BOX	WEIGHT PER PALLET
	RC PACKAGING CODE	WOVEN	STD. COLOR	WIDTH	BREAK	FOOTAGE			
POLYESTER CORD									
PC40WH	40WHD	W	W	1/2"	900	3000	48	4	915
PC50WH	50WHD	W	W	5/8"	1250	2000	48	4	1,110
PC55WX	P55WHD	W	W	5/8"	2000	2000	48	2	965
PC60WH	60WHD	W	W	3/4"	1600	1500	48	4	780
PC65WH	65WHD	W	W	3/4"	1600	2500	36	2	970
PC65WHY	65WHDY	W	Y	3/4"	1600	2500	36	2	970
PC65WQ	65WQHD	W	W	3/4"	2400	1650	48	2	1,100
PC65WQA*	-	W	W	3/4"	2400	1640	48	2	1,100
PC65WQO	65WQHDO	W	O	3/4"	2400	1650	48	2	1,100
PC100WX	100WXHD	W	W	1"	2250	660	48	4	725
PC105WX	114WXHD	W	W	1 1/4"	3300	660	48	4	700
PC105WXA*	-	W	W	1 1/4"	3300	600	48	4	715
PC105WXY	114WXHDY	W	Y	1 1/4"	3300	660	48	4	700
PC105WX1	114WXHDLC	W	W	1 1/4"	3300	1080	48	2	915
PC150WHY	150WHDLS	W	Y	1 1/2"	4400	600	48	4	770
PC150WX	150WXHD	W	W	1 1/2"	5400	480	48	4	750
PC150WXA*	-	W	W	1 1/2"	5400	500	48	4	750
PC150WXO	150WXHD	W	O	1 1/2"	5400	480	48	4	750

* AAR Approved; must specify AAR to receive strapping with the required AAR38 printing and ID on packaging.



COMPOSITE

COMPOSITE CORD STRAPPING - HEAVY DUTY

PRODUCT CODE	DESCRIPTION						COILS PER PALLET	COILS PER BOX	WEIGHT PER PALLET
	RC PACKAGING CODE	WOVEN	STD. COLOR	WIDTH	BREAK	FOOTAGE			
POLYESTER CORD									
CC40	RC40	N/A	W	1/2X.040	660	3610	60	2	1580
CC50	RC50	N/A	W	5/8X.040	950	2790	60	2	1730
CC60	RC60	N/A	W	3/4X.040	1050	1968	60	2	1370
CC65	RC65	N/A	W	3/4X.045	1400	1640	60	2	1500
CC69	RC69	N/A	W	3/4X.050	1740	1640	60	2	1620
CC85	RC85	N/A	W	1X.045	1800	1640	60	2	1865
CC105	RC105	N/A	W	1.25X.055	3320	985	60	2	1550

CORD STRAPPING & ACCESSORIES

TH22 REGULAR DUTY WINDLASS CORD TENSIONER



SPECIFICATIONS

Strap Size:	Up to 3/4"
Strap Type:	Woven and Bonded
Style:	Windlass - non repairable
Weight:	3lbs
Length:	10 1/2"


TH26 HEAVY DUTY WINDLASS CORD TENSIONER



SPECIFICATIONS

Strap Size:	Up to 1 1/2"
Strap Type:	Heavy and Extra Heavy Duty
Style:	Heavy Duty Windlass
Weight:	4lbs
Length:	12"

TH325 HEAVY DUTY WINDLASS CORD TENSIONER



SPECIFICATIONS

Strap Size:	1/2" - 3/4"
Strap Type:	Woven and Composite
Style:	Heavy Duty Windlass
Weight:	5lbs
Length:	11"

TH375 EXTRA HEAVY DUTY WINDLASS PLASTIC STRAPPING TENSIONER



SPECIFICATIONS

Strap Size:	3/4" - 1 1/2"
Strap Type:	Woven and Composite
Style:	Extra Heavy Duty Windlass
Weight:	7lbs
Length:	11"

THTB HEAVY DUTY MANUAL CORD TENSIONER



SPECIFICATIONS

Strap Size:	5/8" - 1 1/2"
Strap Type:	Woven and Composite
Style:	Manual
Weight:	4lbs
Length:	18 1/2"

CORD STRAPPING & ACCESSORIES

BUCKLES FOR CORD STRAPPING

PHOSPHATE FINISHED BUCKLES FOR BONDED AND WOVEN CORD STRAP



PRODUCT CODE	RC PACKAGING CODE	STRAP SIZE	GAUGE	PACK	WEIGHT
SB12HDP	AVB4	1/2"	.120	1000	18 lbs
SB58XDP	AVB5	5/8"	.120	1000	19 lbs
SB34SDP	AVB6	3/4"	.120	1000	24 lbs
SB58X15P	16MMHD	5/8"	.150	1000	28 lbs
SB34HDP	19MM	3/4"	.150	1000	35 lbs
SB34XDP	19MMHD	3/4"	.160	1000	42 lbs
SB34X17P	19MMXHD	3/4"	.170	1000	48 lbs
SB1HDP	25MMHD	1"	.196	500	37 lbs
SB114XDP	32MMHD	1 1/4" - 1 1/2"	.275	250	46 lbs

GALVANIZED FINISHED BUCKLES FOR COMPOSITE CORD STRAP



PRODUCT CODE	RC PACKAGING CODE	STRAP SIZE	GAUGE	PACK	WEIGHT
SB12HDG	AVB4GALV	1/2"	.120	1000	18 lbs
SB58XDG	16MMGALV	5/8"	.120	1000	19 lbs
SB34XDG	19MMHDGALV	3/4"	.160	1000	42 lbs
SB1HDG	25MMHDGALV	1"	.196	500	38 lbs
SB114XDG	32MMHDGALV	1 1/4" - 1 1/2"	.275	250	48 lbs

CORD STRAPPING KITS

These handy cord strapping kits were designed especially for multi-purpose field securing applications. They are lightweight, portable, and super convenient for securing and bundling in just about any location. They come as a complete system with a coil of cord strapping and a sufficient supply of metal buckles. There's everything you need to get the job done right without the use of expensive tools. The kits are offered in two versions consisting of the following:



PC40WK15

1 coil 1/2" x 1500' white woven cord
650 lb test
200 - 1/2" metal buckles
Weight 9lbs



PC60WK10

1 coil 3/4" x 1000' white woven cord
950 lb test
150 - 3/4" metal buckles
Weight 12lbs

CORD STRAPPING DISPENSERS

RCI

PLEASE SPECIFY CORE SIZE:

- 3" x 5"
- 8" x 8" Composite
- 3" Ribbon wound



- Mobile Cart Dispenser
- Adjustable Handle Height
- Heavy Duty Construction
- Tool Tray for Tool/Buckles
- Reel Brake for Strap Control
- For Ribbon & Oscillated Cord
- Weight 60lbs - Ships UPS